

Year 6

Mastery Overview
Spring

SOL Overview

As well as providing term by term overviews for the new National Curriculum, as a Maths Hub we are aiming to support primary schools by providing more detailed Schemes of Learning, which help teachers plan lessons on a day to day basis.

The following schemes provide exemplification for each of the objectives in our new term by term overviews, which are linked to the new National Curriculum. The schemes are broken down into fluency, reasoning and problem solving, which are the key aims of the curriculum. Each objective has with it examples of key questions, activities and resources that you can use in your classroom. These can be used in tandem with the mastery assessment materials that the NCETM have recently produced.

In addition to this we have also created our own network area where teachers from across the country can share their lesson plans and resources that are linked to our schemes.

We hope you find them useful. If you have any comments about this document or have any ideas please do get in touch.

The White Rose Maths Hub Team

Assessment


Alongside these curriculum overviews, our aim is also to provide a free assessment for each term's plan. Each assessment will be made up of two parts:

Part 1: Fluency based arithmetic practice

Part 2: Reasoning based questions

You can use these assessments to determine gaps in your students' knowledge and use them to plan support and intervention strategies.

The assessments have been designed with new KS2 SATS in mind. All of the assessments will be ready by 30 November 2015.



Teaching for Mastery

These overviews are designed to support a mastery approach to teaching and learning and have been designed to support the aims and objectives of the new National Curriculum.

The overviews:


- have number at their heart. A large proportion of time is spent reinforcing number to build competency
- ensure teachers stay in the required key stage and support the ideal of depth before breadth.
- ensure students have the opportunity to stay together as they work through the schemes as a whole group
- provide plenty of time to build reasoning and problem solving elements into the curriculum.

Concrete – Pictorial – Abstract

As a hub we believe that all students, when introduced to a key new concept, should have the opportunity to build competency in this topic by taking this approach.

Concrete – students should have the opportunity to use concrete objects and manipulatives to help them understand what they are doing.

Pictorial – students should then build on this concrete approach by using pictorial representations. These representations can then be used to reason and solve problems.



An example of a bar modelling diagram used to solve problems.

Abstract – with the foundations firmly laid, students should be able to move to an abstract approach using numbers and key concepts with confidence.

Frequently Asked Questions

We have bought one of the new Singapore textbooks. Can we use these curriculum plans?

Many schools are starting to make use of a mastery textbook used in Singapore and China, the schemes have been designed to work alongside these textbooks. There are some variations in sequencing, but this should not cause a large number of issues.

If we spend so much time on number work, how can we cover the rest of the curriculum?

Students who have an excellent grasp of number make better mathematicians. Spending longer on mastering key topics will build a student's confidence and help secure understanding. This should mean that less time will need to be spent on other topics.

In addition schools that have been using these schemes already have used other subjects and topic time to teach and consolidate other areas of the mathematics curriculum.

My students have completed the assessment but they have not done well.

This is your call as a school, however our recommendation is that you would spend some time with the whole group focussing on the areas of the curriculum that they don't appear to have grasped. If a couple of students have done well then these could be given rich tasks and deeper problems to build an even deeper understanding.

Can we really move straight to this curriculum plan if our students already have so many gaps in knowledge?

The simple answer is yes. You might have to pick the correct starting point for your groups. This might not be in the relevant year group and you may have to do some consolidation work before.

These schemes work incredibly well if they are introduced from Year 1 and continued into Year 2, then into Year 3 and so on.

NCETM Mastery Booklets

In addition to the schemes attached the NCETM have developed a fantastic series of problems, tasks and activities that can be used to support 'Teaching for Mastery'. They have been written by experts in mathematics.

It will also give you a detailed idea of what it means to take a mastery approach across your school.

Information can be found on the link below.

<https://www.ncetm.org.uk/resources/46689>

WRMH Primary Network

Over the past 12 months we have been working with a company MyFlo to develop a free online platform where teachers from across our region (and wider) can share their own resources and lesson plans based on this new curriculum. All our overviews, schemes and assessment materials will be made available on the MyFlo network.



Everyone Can Succeed

As a Maths Hub we believe that all students can succeed in mathematics. We don't believe that there are individuals who can do maths and those that can't. A positive teacher mindset and strong subject knowledge are key to student success in mathematics.

More Information

If you would like more information on 'Teaching for Mastery' you can contact the White Rose Maths Hub at mathshub@trinityacademyhalifax.org

We are offering courses on:

- Bar Modelling
- Teaching for Mastery
- Year group subject specialism intensive courses – become a Maths expert.

Our monthly newsletter also contains the latest initiatives we are involved with. We are looking to improve maths across our area and on a wider scale by working with the other Maths Hubs across the country.

Year 6 Overview

	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Week 8	Week 9	Week 10	Week 11	Week 12
Autumn	Number: Place Value		Number: Addition, Subtraction, Multiplication and Division				Fractions					
Spring	Number: Decimals		Number: Percentages	Measurement			Number: Algebra		Number: Ratio		Geometry and Statistics	
Summer	Geometry: Properties of Shapes		Geometry: Position and Direction	Post SATs Project Work								

Term by Term Objectives

Year 6

Year Group		Y6	Term	Spring								
Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Week 8	Week 9	Week 10	Week 11	Week 12	
<p><u>Number: Decimals</u> Identify the value of each digit in numbers given to three decimal places and multiply numbers by 10, 100 and 1000 giving answers up to 3 decimal places (dp).</p> <p>Multiply one digit numbers with up to 2dp by whole numbers.</p> <p>Use written division methods in cases where the answer has up to two decimal places.</p> <p>Solve problems which require answers to be rounded to specified degrees of accuracy.</p>		<p><u>Number: Percentages</u> Solve problems involving the calculation of percentages [for example, of measures such as 15% of 360] and the use of percentages for comparison.</p> <p>Recall and use equivalences between simple FDP including in different contexts.</p>	<p><u>Measurement</u> Solve problems involving the calculation and conversion of units of measure, using decimal notation up to three decimal places where appropriate.</p> <p>Use, read, write and convert between standard units, converting measurements of length, mass, volume and time from a smaller unit of measure to a larger unit, and vice versa, using decimal notation to up to 3dp.</p> <p>Convert between miles and kilometres.</p> <p>Recognise that shapes with the same areas can have different perimeters and vice versa.</p> <p>Recognise when it is possible to use formulae for area and volume of shapes.</p> <p>Calculate the area of parallelograms and triangles.</p> <p>Calculate, estimate and compare volume of cubes and cuboids using standard units, including cm^3, m^3 and extending to other units (mm^3, km^3).</p>			<p><u>Number: Algebra</u> Use simple formulae.</p> <p>Generate and describe linear number sequences.</p> <p>Express missing number problems algebraically.</p> <p>Find pairs of numbers that satisfy an equation with two unknowns.</p> <p>Enumerate possibilities of combinations of two variables.</p>		<p><u>Number: Ratio</u> Solve problems involving the relative sizes of two quantities where missing values can be found by using integer multiplication and division facts.</p> <p>Solve problems involving similar shapes where the scale factor is known or can be found.</p> <p>Solve problems involving unequal sharing and grouping using knowledge of fractions and multiples.</p>		<p><u>Geometry and Statistics</u> Illustrate and name parts of circles, including radius, diameter and circumference and know that the diameter is twice the radius.</p> <p>Interpret and construct pie charts and line graphs and use these to solve problems.</p> <p>Calculate the mean as an average.</p>		<p>Time at the beginning or end of the term for consolidation gap filling, seasonal activities, assessments etc.</p>

	National Curriculum Statement	All students																						
		Fluency	Reasoning	Problem Solving																				
Decimals	<p>Identify the value of each digit in numbers given to three decimal places and multiply numbers by 10, 100 and 1000 giving answers up to 3dp.</p>	<ul style="list-style-type: none"> What is the value of the underlined digit in the following numbers? 3.<u>4</u>2 4.5<u>6</u><u>2</u> 34.6<u>2</u>1 54.3<u>6</u> Fill in the table. <table border="1" style="margin-left: 20px;"> <thead> <tr> <th></th> <th>X10</th> <th>X100</th> <th>X1000</th> </tr> </thead> <tbody> <tr> <td>0.1</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3.42</td> <td></td> <td></td> <td></td> </tr> <tr> <td>5.36</td> <td></td> <td></td> <td></td> </tr> <tr> <td>1.872</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> Find the value of the ▲ in each statement. <p style="text-align: center;">0.5 x ▲ = 500</p> <p style="text-align: center;">37.2 ÷ 100 = ▲</p> <p style="text-align: center;">8.4 ÷ ▲ = 0.084</p> 		X10	X100	X1000	0.1				3.42				5.36				1.872				<ul style="list-style-type: none"> Ali says, <div style="border: 1px solid blue; border-radius: 15px; padding: 5px; display: inline-block; background-color: #4a86e8; color: white; margin: 5px 0;"> "To multiply by 100, you should add two zeros." </div> <p>Do you agree with Ali? Explain your thinking.</p> True or False? In all of the numbers below, the digit 6 is worth more than 6 hundredths. 3.6 3.063 3.006 6.23 7.761 <p>If it is false, can you change some of the numbers so it is true?</p> <ul style="list-style-type: none"> Kayleigh says; "The more decimal places a number has, the smaller the number is." Do you agree? Explain why. 	<ul style="list-style-type: none"> Four children are thinking of four different numbers. <div style="display: flex; justify-content: space-around; align-items: center; margin: 10px 0;"> <div style="border: 1px solid red; border-radius: 10px; padding: 5px; background-color: #d9534f; color: white; width: 60px; text-align: center;">3.454</div> <div style="border: 1px solid blue; border-radius: 10px; padding: 5px; background-color: #4a86e8; color: white; width: 60px; text-align: center;">4.445</div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin: 10px 0;"> <div style="border: 1px solid green; border-radius: 10px; padding: 5px; background-color: #7ed321; color: white; width: 60px; text-align: center;">4.345</div> <div style="border: 1px solid purple; border-radius: 10px; padding: 5px; background-color: #6a3d9a; color: white; width: 60px; text-align: center;">3.54</div> </div> <p>Yvonne: "My number has four hundredths."</p> <p>Alex: "My number has the same amount of ones, tenths and hundredths."</p> <p>Louise: "My number has more tenths and hundredths than ones."</p> <p>Emily: "My number has 2 decimal places."</p> <p>Can you match each number to the correct child?</p>
	X10	X100	X1000																					
0.1																								
3.42																								
5.36																								
1.872																								


	National Curriculum Statement	All students																																								
		Fluency	Reasoning	Problem Solving																																						
Decimals	Multiply one digit numbers with up to 2dp by whole numbers.	<ul style="list-style-type: none"> Solve: $4.32 \times 5 =$ $6.72 \times 8 =$ $9 \times 4.35 =$ $7 \times 5.21 =$ Idrees has to walk 1.5km to get to school. How far will he have to walk over 4 days to get to school and back? Katie is saving money. Her mum says, <div style="border: 1px solid blue; border-radius: 15px; padding: 10px; background-color: #4a7ebb; color: white; text-align: center; margin: 10px 0;"> "Whatever you save, I will give you five times the amount." </div> <ol style="list-style-type: none"> If Katie saves £4.82, how much money will her mum give her? If Katie saves £7.73, how much money will her mum give her? 	<ul style="list-style-type: none"> Tanya is using the grid method to multiply decimals. 4.56×7 <table border="1" style="margin: 10px auto;"> <tr><td style="background-color: black;"></td><td style="background-color: #f4a460;">7</td></tr> <tr><td style="background-color: #f4a460;">4</td><td style="background-color: #f4a460;">28</td></tr> <tr><td style="background-color: #f4a460;">0.5</td><td style="background-color: #f4a460;">3.5</td></tr> <tr><td style="background-color: #f4a460;">0.06</td><td style="background-color: #f4a460;">4.2</td></tr> </table> <p>After adding up, Tanya says her answer is 35.7.</p> <p>Is Tanya correct?</p> <p>Explain your reasoning.</p> <ul style="list-style-type: none"> True or False? <p>When you multiply a number with 2 decimal places by a whole number, the answer always has more than 2 decimal places.</p> <p>Prove it.</p> 		7	4	28	0.5	3.5	0.06	4.2	<ul style="list-style-type: none"> You need to travel from Point A to Point B. You can only travel through each point once. <div style="text-align: center; margin: 10px 0;"> </div> <p>What is the largest product you can make from A to B? What is the smallest product you can make from A to B?</p> <ul style="list-style-type: none"> Fill in the empty boxes <div style="margin: 10px 0;"> <table style="border-collapse: collapse;"> <tr> <td style="border: 1px solid blue; padding: 5px;">3</td> <td style="padding: 0 10px;">•</td> <td style="border: 1px solid blue; padding: 5px;">4</td> <td style="border: 1px solid blue; padding: 5px;">5</td> <td style="border: 1px solid orange; padding: 5px; width: 30px; height: 30px;"></td> </tr> <tr> <td colspan="5" style="text-align: center; padding-top: 10px;">×</td> </tr> <tr> <td style="border: 1px solid blue; padding: 5px;">0</td> <td style="padding: 0 10px;">•</td> <td style="border: 1px solid blue; padding: 5px;">3</td> <td style="border: 1px solid blue; padding: 5px;">0</td> <td></td> </tr> <tr> <td style="border: 1px solid purple; padding: 5px;"></td> <td style="padding: 0 10px;">•</td> <td style="border: 1px solid purple; padding: 5px;">4</td> <td style="border: 1px solid purple; padding: 5px;">0</td> <td></td> </tr> <tr> <td style="border: 1px solid green; padding: 5px;">1</td> <td style="padding: 0 10px;">•</td> <td style="border: 1px solid green; padding: 5px;">0</td> <td style="border: 1px solid green; padding: 5px;">0</td> <td></td> </tr> <tr> <td style="border: 1px solid red; padding: 5px;"></td> <td style="padding: 0 10px;">•</td> <td style="border: 1px solid red; padding: 5px;"></td> <td style="border: 1px solid red; padding: 5px;"></td> <td></td> </tr> </table> </div> 	3	•	4	5		×					0	•	3	0			•	4	0		1	•	0	0			•			
			7																																							
4	28																																									
0.5	3.5																																									
0.06	4.2																																									
3	•	4	5																																							
×																																										
0	•	3	0																																							
	•	4	0																																							
1	•	0	0																																							
	•																																									

	National Curriculum Statement	All students						
		Fluency	Reasoning	Problem Solving				
Decimals	Use written division methods in cases where the answer has up to two decimal places.	<ul style="list-style-type: none"> Solve: $25 \div 4 =$ $237 \div 4 =$ $9462 \div 8 =$ Jasper has £453 pounds. He splits his money between four different bank accounts. How much does he put in each bank account? Sort the divisions below into the table. <table border="1" style="margin: 10px auto;"> <thead> <tr> <th>Answers with 1dp</th> <th>Answers with 2dp</th> </tr> </thead> <tbody> <tr> <td style="height: 40px;"></td> <td style="height: 40px;"></td> </tr> </tbody> </table> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="text-align: center;"> $127 \div 2$ $947 \div 4$ $236 \div 5$ </div> <div style="text-align: center;"> $846 \div 4$ $236 \div 8$ $457 \div 5$ </div> </div> <p>Can you add one more division sentence to each box?</p> 	Answers with 1dp	Answers with 2dp			<ul style="list-style-type: none"> Stefan and Tilly are both calculating the answer to $147 \div 4$ <p>Stefan says, "The answer is 36 remainder 3"</p> <p>Tilly says, "The answer is 36.75"</p> <p>Who do you agree with? Explain your answer.</p> True or False <p>The only number that divides to give an answer with 1 decimal place is 2.</p> <p>Prove it.</p> True or False <p>The only numbers that divide to give an answer with 2 decimal places are 4 and 8.</p> <p>Justify your answer.</p> 	<ul style="list-style-type: none"> Find the smallest number that can be added to 92.7 to make it exactly divisible by 7. How about 8? Each division sentence can be completed using the digits below. If there is more than one digit missing from the division it must be filled with the same digit. e.g. $44 \div 5 = 8.8$ <div style="display: flex; justify-content: center; gap: 5px; margin: 10px 0;"> <div style="border: 1px solid black; background-color: #4a7ebb; color: white; padding: 5px; border-radius: 5px;">7</div> <div style="border: 1px solid black; background-color: #6a3d9a; color: white; padding: 5px; border-radius: 5px;">7</div> <div style="border: 1px solid black; background-color: #70ad47; color: white; padding: 5px; border-radius: 5px;">8</div> <div style="border: 1px solid black; background-color: #c0392b; color: white; padding: 5px; border-radius: 5px;">8</div> <div style="border: 1px solid black; background-color: #3498db; color: white; padding: 5px; border-radius: 5px;">9</div> <div style="border: 1px solid black; background-color: #f1c40f; color: white; padding: 5px; border-radius: 5px;">9</div> </div> <div style="margin-top: 20px;"> <div style="display: flex; justify-content: center; align-items: center; gap: 10px;"> <div style="border: 1px solid black; background-color: #4a7ebb; width: 20px; height: 20px; margin-right: 5px;"></div> $3 \div$ <div style="border: 1px solid black; background-color: #4a7ebb; width: 20px; height: 20px; margin-right: 5px;"></div> $= 10.33$ </div> <div style="display: flex; justify-content: center; align-items: center; gap: 10px; margin-top: 10px;"> 12 <div style="border: 1px solid black; background-color: #4a7ebb; width: 20px; height: 20px; margin-right: 5px;"></div> \div <div style="border: 1px solid black; background-color: #4a7ebb; width: 20px; height: 20px; margin-right: 5px;"></div> $= 18.14$ </div> <div style="display: flex; justify-content: center; align-items: center; gap: 10px; margin-top: 10px;"> <div style="border: 1px solid black; background-color: #4a7ebb; width: 20px; height: 20px; margin-right: 5px;"></div> $34 \div$ <div style="border: 1px solid black; background-color: #4a7ebb; width: 20px; height: 20px; margin-right: 5px;"></div> $= 104.25$ </div> </div>
		Answers with 1dp	Answers with 2dp					


	National Curriculum Statement	All students		
		Fluency	Reasoning	Problem Solving
Decimals	Solve problems which require answers to be rounded to specified degrees of accuracy.	<ul style="list-style-type: none"> 437 children are going on a school trip. <ol style="list-style-type: none"> 1 adult is needed for every 12 children. How many adults must go on the trip? Each coach can seat up to 52 people. How many coaches are needed? There are 1145 pupils at a school. Each classroom has enough desks for 32 pupils. What is the smallest number of classrooms needed for the pupils? Calculate and round to 1 decimal place: $127 \div 6$ $345 \div 8$ 	<ul style="list-style-type: none"> Yasmin and Henry are solving this problem. <div style="border: 1px solid blue; border-radius: 15px; padding: 10px; background-color: #4a7ebb; color: white; text-align: center; margin: 10px 0;"> Ian is building a wall measuring 74m. He wants to divide the wall into 7 sections. How long will each section be? Give your answer to 1dp. </div> <p>Yasmin has written the answer 10.5 Henry has written the answer 10.6 Who is correct? Explain your reasoning.</p> <ul style="list-style-type: none"> Would it be more accurate to give your answer to the nearest whole pound or ten pence in the question below? $(\pounds 34.56 + \pounds 2.24 + \pounds 54.43 + \pounds 14.67) \div 2$ <p>Explain your answer. Is this always the case?</p> 	<ul style="list-style-type: none"> 245 people attend a coffee morning. 536 cups of coffee and 324 cups of tea are drunk at the coffee morning. On average, how many cups does each person drink? Round your answer to the nearest half cup. Each cup holds approximately 0.35 litres of liquid. How much coffee and tea is drunk in ml? Give your answer to 1 decimal place. At the same coffee morning, 56 chocolate cakes are cut into eighths and 37 strawberry cakes are cut into sixths. <p>How many slices does each person eat to the nearest whole slice?</p> 







	National Curriculum Statement	All students		
		Fluency	Reasoning	Problem Solving
Percentages	<p>Solve problems involving the calculation of percentages [for example, of measures and such as 15% of 360] and the use of percentages for comparison.</p>	<ul style="list-style-type: none"> Calculate: <ul style="list-style-type: none"> 10% of 60 25% of 300 45% of 460 Find: <ul style="list-style-type: none"> 20% of £340 35% of 6m 75% of £1340 20% of 2 hours Daniel has spent 30 minutes doing his homework so far this week. This is 25% of the time he has to spend on his homework. <p>How much longer must he spend on his homework this week?</p> 	<ul style="list-style-type: none"> Isla says, <div style="border: 1px solid blue; border-radius: 15px; padding: 5px; background-color: #4a7ebb; color: white; text-align: center; margin: 10px 0;"> “To find 10% you divide by 10, to find 20% you divide by 20” </div> <p>Do you agree? Explain your reasoning.</p> Danyaal is saving money. His dad offers him two lots of money. <div style="border: 1px solid blue; border-radius: 10px; padding: 5px; background-color: #4a7ebb; color: white; text-align: center; margin: 10px 0;"> 60% of £35 </div> <div style="border: 1px solid purple; border-radius: 10px; padding: 5px; background-color: #6a3d9a; color: white; text-align: center; margin: 10px 0;"> 45% of £48 </div> <p>Which should he take? Show your reasoning.</p> Would you rather: <ul style="list-style-type: none"> Be given 60% of two cakes or 26% of 5 cakes. Be surrounded by 25% of 40 snakes or 40% of 25 snakes? <p>Explain your reasons clearly for each choice. Can you make up some of your own ‘<i>Would you rather?</i>’ questions?</p> 	<ul style="list-style-type: none"> A golf club has 200 members. 58% of the members are male. 50% of the female members are children. <ul style="list-style-type: none"> a) How many male members are in the golf club? b) How many female children are in the golf club? Jack and Tara both have a string of beads. They have red beads, blue beads, white beads and purple beads. They both count how many of each colour they have. <ul style="list-style-type: none"> Jack’s beads are 50% blue, 35% red, 10% white and 5% purple. Tara’s beads are 40% blue, 32% red, 20% white and 8% purple beads. <p>They have the smallest amount of beads possible with those percentages.</p> <p>How many beads did Jack have? How many beads did Tara have?</p> <p>If we know that Jack and Tara have 10 purple beads between them, how many beads do they have altogether?</p>







	National Curriculum Statement	All students														
		Fluency	Reasoning	Problem Solving												
Percentages	<p>Recall and use equivalences between simple FDP including in different contexts.</p>	<ul style="list-style-type: none"> Fill in the table. <table border="1" style="margin: 10px 0;"> <thead> <tr> <th>Fraction</th> <th>Decimal</th> <th>Percentage</th> </tr> </thead> <tbody> <tr> <td></td> <td>0.375</td> <td></td> </tr> <tr> <td>$\frac{2}{5}$</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>75%</td> </tr> </tbody> </table> Order from smallest to largest: 40%, $\frac{3}{5}$, 0.45, 54%, $\frac{5}{10}$, 0.05 Four friends share a pizza. Tyrone eats 35% of the pizza, Jasmine eats 0.4 of the pizza, Imran eats 12.5% of the pizza and Oliver eats 0.125 of the pizza. Can you write the amount each child ate as a fraction? Who ate the most? Who ate the least? Is there any of the pizza left? 	Fraction	Decimal	Percentage		0.375		$\frac{2}{5}$					75%	<ul style="list-style-type: none"> In a Geography test, Sam scored 62% and Hamza scored $\frac{3}{5}$. Who got the highest score? Explain your answer. Jack says: <div style="border: 1px solid blue; border-radius: 15px; padding: 10px; background-color: #e6f2ff; margin: 10px 0;"> <p>“To change a decimal to a percentage, multiply the decimal by 100.”</p> </div> Do you agree? Explain your reasoning. Dan wants to solve a problem using $\frac{1}{4}$ on his calculator. How could he type this into his calculator? Explain your thinking. 	<ul style="list-style-type: none"> Use the digits 1, 2 and 3 to fill in the missing digits below. $\frac{\square}{8} = 0.\square25 = \square.25\%$ $\frac{\square}{5} = 0.\square = 20\%$ $\frac{\square}{8} = 0.\square75 = \square.75\%$ In January, Rahima saves $\frac{3}{5}$ of her £20 pocket money. In February, she saves 0.4 of £10 pocket money. In March, she saves 45% of her £40 pocket money. How much does she save altogether? How much more does she need to save £100? What fraction/percentage/decimal of £100 does she have already?
		Fraction	Decimal	Percentage												
	0.375															
$\frac{2}{5}$																
		75%														





	National Curriculum Statement	All students		
		Fluency	Reasoning	Problem Solving
Measurement	Solve problems involving the calculation and conversion of units of measure, using decimal notation up to three decimal places where appropriate.	<ul style="list-style-type: none"> Josh is trying to run 10 kilometres in one week. Here are the distances he runs on the first three days: Day 1: 1.6 kilometres Day 2: 850 metres Day 3: 2.12 kilometres How much further does he have to run? Work out how many kilometres are in: 2568 metres + 2 miles + 1.8 kilometres Miss Brown is making a packed lunch for each child in her class. They each receive: <i>A 200g sandwich</i> <i>A 35g packet of crisps</i> <i>A 72g cookie</i> <i>A 43g apple</i> She has 32 children in her class. What is the total weight of the classes packed lunches? 	<ul style="list-style-type: none"> True or false? If you convert any amount of grams into kilograms then it will never have an amount in the units e.g. 76g = 0.076kg Jenny travels 652 miles to go on holiday. Abbie thinks she travels further because she travels 1412 kilometres. Is Abbie right? Explain why. A shop sells litre bottles of water for 99p each but has an offer for 8x300ml bottles for £2 If he wants to buy 12L of water, which should he buy and why? 	<ul style="list-style-type: none"> Three athletes (Ben, Greg and Sam) jumped a total of 34.77m in a long jump competition. Greg jumped exactly 2 metres further than Ben. Sam jumped exactly 2 metres further than Greg. What distance did they all jump? Part of a ruler and a toy bus are shown below. The whole bus is 4 times the length that is shown. How long would 8 buses be in cm?  Conversion bingo! Choose units to convert between [e.g. grams and kilograms] and ask children to write down 6 amounts. The first to mark all 6 is the winner!


	National Curriculum Statement	All students															
		Fluency	Reasoning	Problem Solving													
Measurement	Convert between miles and kilometres.	<ul style="list-style-type: none"> Complete the statements: <ul style="list-style-type: none"> a) 5 miles is approximately km. b) 40 kilometres is approximately miles. Convert between miles and kilometres rounding to the nearest whole number: 	<ul style="list-style-type: none"> Agree or disagree? It is easier to convert from miles to kilometres rather than kilometres to miles. Explain your answer. Always, sometimes, never When converting from miles to kilometres, it is easier to multiply by 1.5 then add the extra tenths on at the end. Michael ran the London Marathon which was 26.2miles. Shafi ran 42 kilometres in a charity race over 3 days. Who ran the furthest? 	<ul style="list-style-type: none"> The tally chart below shows the number of miles different drivers did in a day. <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>Mihal</td> <td> </td> </tr> <tr> <td>David</td> <td> </td> </tr> <tr> <td>Abdul</td> <td> </td> </tr> <tr> <td>Claire</td> <td> </td> </tr> </table> <p>When Stefan's miles are added to it the whole amount of kilometres driven can be rounded to 50 when rounded to the nearest 10. How many miles did Stefan drive? Have you found all the possibilities?</p> <ul style="list-style-type: none"> Miles and his 6 friends take part in a 5km charity race. Between them, how many miles do they run altogether? 	Mihal		David		Abdul		Claire						
		Mihal															
David																	
Abdul																	
Claire																	
	<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Miles</th> <th>Kilometres</th> </tr> </thead> <tbody> <tr> <td></td> <td>1.6km</td> </tr> <tr> <td>2 miles</td> <td></td> </tr> <tr> <td></td> <td>4.8km</td> </tr> <tr> <td>5 miles</td> <td></td> </tr> <tr> <td></td> <td>16km</td> </tr> <tr> <td>20 miles</td> <td></td> </tr> </tbody> </table> <ul style="list-style-type: none"> The distance from Edinburgh to Glasgow is approximately 80km. What is this in miles to the nearest whole number? 	Miles	Kilometres		1.6km	2 miles			4.8km	5 miles			16km	20 miles			
Miles	Kilometres																
	1.6km																
2 miles																	
	4.8km																
5 miles																	
	16km																
20 miles																	

	National Curriculum Statement	All students		
		Fluency	Reasoning	Problem Solving
Measurement	<p>Recognise that shapes with the same areas can have different perimeters and vice versa.</p>	<ul style="list-style-type: none"> Look at the shapes below.  <ul style="list-style-type: none"> Which two shapes have the same area? Which two shapes have the same perimeter? Draw two different rectangles that have an area of 12cm^2. Draw two different rectangles that have a perimeter of 20cm. 	<ul style="list-style-type: none"> True or false? Two rectangles with the same area can have different perimeters. Explain your answer. A quadrilateral has an area of 24cm^2. Sophie says, "The perimeter is 6,6,6,6" Ben says, "That's not true. It's 8,8,3,3" Who is correct? Explain why. 	<ul style="list-style-type: none"> The shape below has an area of $\frac{1}{24}$   <p>How many shapes can you draw with the area $\frac{1}{24}$?</p> <p>What are the perimeters of these shapes?</p> <p>Is there a pattern/do you notice anything?</p> <ul style="list-style-type: none"> Three children are given the same shape to draw. They each give a clue. Kate says, "The smallest length is 4cm." Lucy says, "The area is less than 30cm^2." Ash says, "The perimeter is 22cm." <p>What are the lengths of the quadrilateral?</p>



	National Curriculum Statement	All students		
		Fluency	Reasoning	Problem Solving
Measurement	Recognise when it is possible to use formulae for area and volume of shapes.	<ul style="list-style-type: none"> Which formula below would calculate the area of the right angled triangle?  <ul style="list-style-type: none"> a) $a + b \times 2$ b) $ab \times 0.5$ c) $a + b + c$ d) $ab \times 2$ 	<ul style="list-style-type: none"> Sidra writes the formula for the surface area of the cuboid. <div style="border: 1px solid blue; background-color: #4a7ebb; color: white; padding: 5px; display: inline-block; margin: 10px 0;">$ab + ac + bc$</div>  <p>Do you agree with Sidra? Explain your reasoning.</p>	<ul style="list-style-type: none"> This is a drawing of David's garden.  <p>He is planting seeds in it. It costs £2 per $5m^2$ of the garden. How much does he spend to plant seeds in half of his garden?</p>
		<ul style="list-style-type: none"> Look at the cube below.  <ul style="list-style-type: none"> a) Write the formula for the surface area of the cube. b) Write the formula that could be used to calculate the volume of this cube. 	<ul style="list-style-type: none"> Anna is calculating the area of a triangle. She says, "I only need two of the side lengths to work out the area." Do you agree with Anna? Explain why. 	<ul style="list-style-type: none"> Bob is tiling his bathroom wall. It costs £1.50 per $4cm^2$. How much will it cost to tile the whole wall?  <ul style="list-style-type: none"> Calculate the missing length: 

	National Curriculum Statement	All students		
		Fluency	Reasoning	Problem Solving
Measurement	<p>Calculate the area of parallelograms and triangles.</p>	<ul style="list-style-type: none"> Calculate the area of the parallelograms: <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> Calculate the area of the triangles: <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div> 	<ul style="list-style-type: none"> An isosceles triangle has a perimeter of 20cm. One of its sides is 6cm long. What could the other two lengths be? Explain your answer. The area of a rectangle is given by $A = b \times h$. Use the diagrams below to show two different ways in which it can be demonstrated that the area of a triangle is given by $A = \frac{1}{2} \times b \times h$. <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div> <div style="text-align: center; margin-top: 10px;">  </div> Knowing the formula of a rectangle, show why the formula of a parallelogram is also $a = b \times h$. 	<ul style="list-style-type: none"> Kara has a piece of fabric in the shape of a parallelogram. Its height is 12m and its base is 18m. She cuts the fabric into four equal parallelograms by cutting the base and the height in half. What is the area of each new parallelogram? Maria's classroom is shaped like a parallelogram. The height of the parallelogram is X metres and the corresponding base is 7 metres longer than the parallelogram's height. How can Maria write an expression that shows her classroom's area in terms of X?


	National Curriculum Statement	All students		
		Fluency	Reasoning	Problem Solving
Measurement	<p>Calculate, estimate and compare volume of cubes and cuboids using standard units, including cm^3, m^3 and extending to other units (mm^3, km^3).</p>	<ul style="list-style-type: none"> Find the volume of the cuboid. 	<ul style="list-style-type: none"> Clare is calculating the volume of this cuboid. 	<ul style="list-style-type: none"> A box of matches measures 1cm by 4cm by 5cm. Boxes of matches are placed in a cardboard box measuring 15cm by 32cm by 40cm. How many boxes of matches fit into cardboard box? 
		<ul style="list-style-type: none"> This cuboid has a volume of 70cm^3. Calculate the height of the cuboid.  <ul style="list-style-type: none"> A cube has a volume of 125cm^3. Calculate the length, height and width of the cube. 	<p>She has written the answer: 960cm^3.</p> <p>Do you agree with Clare? Can you work out what she has done and help her solve the problem?</p> <ul style="list-style-type: none"> The volume of a cube is 64cm^3. The volume of a cuboid is also 64cm^3. Harry says, "I can definitely tell you the height, width and length of the cube but I can't definitely tell you the height, width and length of the cuboid." <p>Explain Harry's answer.</p>	<ul style="list-style-type: none"> Georgia is making cuboids using 24 cubes. How many different cuboids can she make? Show your different cuboids using volume = length X width X height A book is 19cm wide, 26cm long and 2.5cm thick. There are 8 similar books placed on the top of each other. What is the volume taken up by them? 


	National Curriculum Statement	All students																																																		
		Fluency	Reasoning	Problem Solving																																																
	<p>Use simple formulae.</p>	<ul style="list-style-type: none"> Calculate the value of the letter in each equation. <table border="1"> <tr><td>$3a = 15$</td><td>$a =$</td></tr> <tr><td>$5b = 10$</td><td>$b =$</td></tr> <tr><td>$6c = 9c$</td><td>$c =$</td></tr> <tr><td>$12d = 48$</td><td>$d =$</td></tr> </table> <ul style="list-style-type: none"> Calculate the value of the letter in each equation. <table border="1"> <tr><td>$20 = 4a + 4$</td><td>$a =$</td></tr> <tr><td>$3b + 5 = 11$</td><td>$b =$</td></tr> <tr><td>$14 = 6c - 4$</td><td>$c =$</td></tr> <tr><td>$2d - 5 = 5$</td><td>$d =$</td></tr> </table> <ul style="list-style-type: none"> A function machine adds 7 to any number that is inputted. <p>What is the output when the input is:</p> <p>a) 15 b) 12</p> <p>What is the input when the output is:</p> <p>a) 25 b) 42</p> 	$3a = 15$	$a =$	$5b = 10$	$b =$	$6c = 9c$	$c =$	$12d = 48$	$d =$	$20 = 4a + 4$	$a =$	$3b + 5 = 11$	$b =$	$14 = 6c - 4$	$c =$	$2d - 5 = 5$	$d =$	<ul style="list-style-type: none"> If a stands for a number, complete the table below: <table border="1"> <thead> <tr> <th>a</th> <th>4a</th> <th>4a + 2</th> </tr> </thead> <tbody> <tr> <td>12</td> <td></td> <td></td> </tr> <tr> <td></td> <td>36</td> <td></td> </tr> <tr> <td></td> <td></td> <td>102</td> </tr> </tbody> </table> <p>If the largest number in the table above was 894. What would the largest total of a be?</p> <ul style="list-style-type: none"> Helen says, <div style="border: 1px solid blue; border-radius: 15px; padding: 10px; background-color: #4a7ebb; color: white; text-align: center;"> <p>"If there is a number before a letter, you multiply. Eg 5b If there is a number after a letter, you divide. Eg 6²"</p> </div> <p>Is Helen correct?</p> <p>Explain your reasoning.</p> <ul style="list-style-type: none"> Kat substitutes $b = 3$ into the formula $4b + 5$. She gets the answer 17. Is she correct? Explain your answer. 	a	4a	4a + 2	12				36				102	<ul style="list-style-type: none"> Find the totals of the missing rows and columns. <table border="1"> <tr> <td></td> <td></td> <td></td> <td></td> <td style="background-color: #4a7ebb; color: white; text-align: center;">54</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="background-color: #4a7ebb; color: white; text-align: center;">46</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td style="background-color: #4a7ebb; color: white; text-align: center;">48</td> </tr> </table> <ul style="list-style-type: none"> 7 pears and 1 banana cost 57p. 3 bananas, 1 pear and 2 apples cost 41p. 1 pear, 2 apples and 2 bananas cost 33p. How much does 1 piece of each fruit cost? <p>Can you write each of the sentences above as a formula?</p>					54					46										48
$3a = 15$	$a =$																																																			
$5b = 10$	$b =$																																																			
$6c = 9c$	$c =$																																																			
$12d = 48$	$d =$																																																			
$20 = 4a + 4$	$a =$																																																			
$3b + 5 = 11$	$b =$																																																			
$14 = 6c - 4$	$c =$																																																			
$2d - 5 = 5$	$d =$																																																			
a	4a	4a + 2																																																		
12																																																				
	36																																																			
		102																																																		
				54																																																
				46																																																
				48																																																

	National Curriculum Statement	All students																	
		Fluency	Reasoning	Problem Solving															
Algebra	<p>Generate and describe linear number sequences.</p>	<ul style="list-style-type: none"> Fill in the first two terms in this sequence. ____, _____, 55, 63, 71 Can you write a formula to describe the sequence? 7 is the first term in this sequence. What is the 7th term? 7, 12, 17, The formula $4n+1$ can be used to generate the numbers in this sequence. Fill in the table below: <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Term</th> <th>Calculation</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td>1st</td> <td>$4 \times 1 + 1$</td> <td>5</td> </tr> <tr> <td>5th</td> <td></td> <td></td> </tr> <tr> <td>10th</td> <td></td> <td>41</td> </tr> <tr> <td>20th</td> <td>$4 \times 20 + 1$</td> <td></td> </tr> </tbody> </table>	Term	Calculation	Value	1 st	$4 \times 1 + 1$	5	5 th			10 th		41	20 th	$4 \times 20 + 1$		<ul style="list-style-type: none"> Write a formula for the 10th, 100th and nth terms of the sequences below. 4, 8, 12, 16 0.4, 0.8, 1.2, 1.6, Here is a sequence: 3, 8, 13, 18, 23 Circle the formula that describes the sequence. <div style="text-align: center; margin: 10px 0;"> <div style="background-color: #4a7ebb; color: white; padding: 5px; border-radius: 10px; display: inline-block; margin: 5px;"> $4n - 1$ </div> <div style="background-color: #6a3d9a; color: white; padding: 5px; border-radius: 10px; display: inline-block; margin: 5px;"> $5n - 2$ </div> <div style="background-color: #00a0c0; color: white; padding: 5px; border-radius: 10px; display: inline-block; margin: 5px;"> $3n + 5$ </div> </div> <p>Explain your reasoning.</p>	<ul style="list-style-type: none"> Write three sequences where the rule to find the next term is 'add 3' 1) 2) 3) Write two different linear sequences where the second number is 5 1) 2) Ramesh is exploring three sequence-generating rules. Rule A is: 'Start at 30, and then add on 7, and another 7, and another 7, and so on.' Rule B is: 'Write out the numbers that are in the seven times table, and then add 2 to each number.' Rule C is: 'Start at 51, and then add on 4, and another 4, and another 4, and so on.' What's the same and what's different about the sequences generated by these three rules? Explain why any common patterns occur.
Term	Calculation	Value																	
1 st	$4 \times 1 + 1$	5																	
5 th																			
10 th		41																	
20 th	$4 \times 20 + 1$																		





	National Curriculum Statement	All students		
		Fluency	Reasoning	Problem Solving
Algebra	Express missing number problems algebraically.	<ul style="list-style-type: none"> Which of the following algebraic statements correctly describes the following problem? <i>"Four times a number and add 5 to get the answer 17"</i> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; background-color: #8e44ad; padding: 5px; border-radius: 10px;">$4n + 5 = 17$</div> <div style="border: 1px solid black; background-color: #3498db; padding: 5px; border-radius: 10px;">$5n + 4 = 17$</div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 10px;"> <div style="border: 1px solid black; background-color: #2980b9; padding: 5px; border-radius: 10px;">$n^4 + 5 = 17$</div> <div style="border: 1px solid black; background-color: #27ae60; padding: 5px; border-radius: 10px;">$4(n + 5) = 17$</div> </div> <ul style="list-style-type: none"> An electrician charges £15 for every job that he attends and then £8 an hour for every hour he works. Tick the formula that could be used to calculate how much the electrician would charge for a job. h stands for hours: <div style="display: flex; justify-content: center; gap: 20px; margin-top: 10px;"> $9h - 16$ $16h + 9$ </div> <div style="display: flex; justify-content: center; gap: 20px;"> $9h + 16$ </div> A plumber charges £9 an hour. She is currently offering a £5 discount for all jobs. Write a formula to calculate how much money she should charge her customers. 	<ul style="list-style-type: none"> A taxi driver charges £3 at the start of each journey. For every mile covered another 25p is added to the fare. <div style="text-align: center; margin: 10px 0;">  </div> <p>The driver writes the following formula. Cost of journey = 3 + number of miles x 25</p> <p>Is the formula correct? Prove it.</p> <ul style="list-style-type: none"> James and Kelsey are using the following formula to work out what they should charge for three hours work. Cost in pounds = 40 + 20 x number of hours: James writes down £180 Kelsey writes down £100 <p>Who do you agree with? Why?</p>	<ul style="list-style-type: none"> Find the value of the circle in each of the following problems. It is worth a different value in each question. <div style="text-align: center; margin: 10px 0;">  </div> <p>Can you write each of the number sentences above algebraically?</p> <ul style="list-style-type: none"> Kyra has 92p. She buys yoyos (y) costing 11p and lollies (l) cost 4p. Can you write a formula to solve her problem? Can you find more than one set of numbers to solve her problem? <div style="text-align: center; margin-top: 20px;">  </div>

	National Curriculum Statement	All students														
		Fluency	Reasoning	Problem Solving												
Algebra	<p>Find pairs of numbers that satisfy an equation with two unknowns.</p>	<ul style="list-style-type: none"> X and Y are whole numbers. X is a one digit number. Y is a two digit number. $X + Y = 25.$ <p>Find all the possible pairs of numbers that satisfy the equation.</p> <ul style="list-style-type: none"> a and b are variables: $a + b = 6$ <p>Find 5 different possibilities for a and b.</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="width: 50px;">a</th> <th style="width: 50px;">b</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> </tbody> </table> <ul style="list-style-type: none"> Find 3 different possible pairs of values for a and b: $ab = 18$ <p>1) a= b= 2) a= b= 3) a= b=</p>	a	b											<ul style="list-style-type: none"> Rhian is solving the equation $a + b = 18$ <p>a and b are both positive whole numbers.</p> <p>Rhian says,</p> <div style="border: 1px solid blue; border-radius: 15px; padding: 5px; background-color: #4a7ebb; color: white; text-align: center; width: fit-content; margin: 10px auto;"> <p>“a and b must both always be less than 18.”</p> </div> <p>Do you agree?</p> <p>Explain your reasoning.</p> <ul style="list-style-type: none"> Toby is finding a pair of numbers to fit the equation: $2a + b = 15$ <p>Both letters represent whole numbers.</p> <p>Toby says, “One of the numbers must be odd and one must be even,”</p> <p>Do you agree with Toby?</p> <p>Show your reasoning.</p>	<ul style="list-style-type: none"> a and b stand for whole numbers. $a + b = 1000$ and a is 150 greater than b. Work out the values of a and b. A rectangle has the area 24cm^2. This is expressed through the equation $l \times w = 24\text{cm}^2$. What could l and w stand for? Draw the rectangles to prove that the area is 24cm^2. x and y are both whole positive numbers. When multiplied together they make an odd number under 20 What could x and y be?
a	b															





	National Curriculum Statement	All students																		
		Fluency	Reasoning	Problem Solving																
Algebra	<p>Enumerate possibilities of combinations of two variables.</p>	<ul style="list-style-type: none"> In this equation, a and b are both whole numbers which are less than 12. <div style="text-align: center; border: 1px solid black; border-radius: 10px; width: 60px; margin: 10px auto; padding: 5px;"> $2a=b$ </div> <p>Write the calculations that would show all the possible values for a and b.</p> <ul style="list-style-type: none"> Use the equation to fill in the missing values in the table below. $7x + 4 = y$ <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Value of x</th> <th>Value of y</th> </tr> </thead> <tbody> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	Value of x	Value of y									<ul style="list-style-type: none"> $ab = 9$ <p>Deanna says,</p> <div style="text-align: center; border: 1px solid black; border-radius: 15px; width: 150px; margin: 10px auto; padding: 10px; background-color: #c8e6c9;"> "a and b must both be odd numbers" </div> <p>Do you agree? Prove it.</p> <ul style="list-style-type: none"> The bar model below shows the equation $2g + w = 10$ <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td colspan="3" style="text-align: center;">10</td></tr> <tr> <td style="text-align: center;">g</td> <td style="text-align: center;">g</td> <td style="text-align: center;">w</td> </tr> </table> <p>Can you draw a bar model to represent the following equations: $3f + g = 20$ $7a + 3b = 40$</p> <p>What could the letters represent?</p>	10			g	g	w	<ul style="list-style-type: none"> Lollipops come in bags of 5 and chocolate bars come in packs of 4. Mr Smith needs to buy 79 individual sweets in total. How many different combinations of lollipops and chocolate bars could he buy? Can you write the equation that shows this problem? The volume of a cuboid is 152cm^3. The length of the cuboid is 8cm. <p>What could the width and depth of the cuboid be?</p> <div style="text-align: center; margin-top: 20px;">  <p>8cm</p> </div>
Value of x	Value of y																			
10																				
g	g	w																		



	National Curriculum Statement	All students																											
		Fluency	Reasoning	Problem Solving																									
Ratio and Proportion	<p>Solve problems involving the relative sizes of two quantities where missing values can be found by using integer multiplication and division facts.</p>	<ul style="list-style-type: none"> In 1 week I eat 2 ice creams.  <p>How many ice creams will I eat in:</p> <ol style="list-style-type: none"> 2 weeks? 4 weeks? 8 weeks? 14 weeks? <ul style="list-style-type: none"> For every 2 apples Sally eats,  she eats 1 banana.  <p>Fill in the missing numbers in the sentences below.</p> <p>For every 4 apples, Sally eats ____ bananas.</p> <p>For every ____ apples, Sally eats 8 bananas.</p>	<ul style="list-style-type: none"> 1:2 and 3:6 are equivalent ratios. Circle the ratios below that are also equivalent to 1:2 and 3:6 4:5 8:16 4:8 3:9 2:6 <p>Explain how you know.</p> <ul style="list-style-type: none"> Finish the sequence of ratios: 3:4, 6:8, 9:12, _____, _____ <p>Explain how you found the missing numbers.</p> <p>What is the rule for the sequence?</p> <ul style="list-style-type: none"> Orange paint is made from red and yellow paint in the ratio of 3:5 <p>To make 40 litres of orange paint how much would I need of each colour? Explain your thinking.</p>	<ul style="list-style-type: none"> I measured my stride when walking and found it to be 80cm. If I walk for 16m, how many strides do I take? Idina is making buns. Can you fill in the missing quantities in the table below? <table border="1" data-bbox="1541 579 2033 863"> <thead> <tr> <th></th> <th>Butter</th> <th>Sugar</th> <th>Eggs</th> <th>Flour</th> </tr> </thead> <tbody> <tr> <td>12 buns</td> <td>120g</td> <td></td> <td>2</td> <td></td> </tr> <tr> <td>24 buns</td> <td></td> <td>200g</td> <td></td> <td></td> </tr> <tr> <td>30 buns</td> <td></td> <td></td> <td></td> <td>375g</td> </tr> <tr> <td>84 buns</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <ul style="list-style-type: none"> In Year 6, there are 36 children with blonde hair and 48 children with brown hair. There are half as many children with black hair as there are with blonde hair. What is the overall ratio for blonde to brown to black hair in Year 6? Can you simplify this ratio? 		Butter	Sugar	Eggs	Flour	12 buns	120g		2		24 buns		200g			30 buns				375g	84 buns				
	Butter	Sugar	Eggs	Flour																									
12 buns	120g		2																										
24 buns		200g																											
30 buns				375g																									
84 buns																													





Ratio and Proportion

National Curriculum Statement	All students																	
	Fluency	Reasoning	Problem Solving															
<p>Solve problems involving similar shapes where the scale factor is known or can be found.</p>	<ul style="list-style-type: none"> These 2 rectangles are similar. Can you find the missing lengths?  <ul style="list-style-type: none"> The rectangles in the table below are similar. Fill in the missing lengths and widths. <table border="1" data-bbox="571 702 963 861"> <thead> <tr> <th>Rectangle</th> <th>Length</th> <th>Width</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>5cm</td> <td>2cm</td> </tr> <tr> <td>B</td> <td></td> <td>4cm</td> </tr> <tr> <td>C</td> <td>25cm</td> <td></td> </tr> <tr> <td>D</td> <td></td> <td>18cm</td> </tr> </tbody> </table> <ul style="list-style-type: none"> Here are two equilateral triangles. The blue triangle is three times larger than the green triangle. Find the perimeter of both triangles. 	Rectangle	Length	Width	A	5cm	2cm	B		4cm	C	25cm		D		18cm	<ul style="list-style-type: none"> Find the missing lengths.  <p>Can you explain how you found each of the missing lengths?</p> <ul style="list-style-type: none"> Tom says these three rectangles are similar.  <p>Do you agree? Explain your reasoning.</p>	<ul style="list-style-type: none"> One rectangle has a perimeter of 16cm. Another similar rectangle has a perimeter of 24cm. The length of the smaller rectangle is 6cm. Draw both rectangles. Draw 3 rectangles with the same area where the length increases by the scale factor 2. Can you find more than one way of doing this?
Rectangle	Length	Width																
A	5cm	2cm																
B		4cm																
C	25cm																	
D		18cm																

Ratio and Proportion

National Curriculum Statement	All students		
	Fluency	Reasoning	Problem Solving
<p>Solve problems involving unequal sharing and grouping using knowledge of fractions and multiples.</p>	<ul style="list-style-type: none"> Look at the set of shapes. Circle the statements that are true.  <ol style="list-style-type: none"> There are two orange squares for every six purple squares. There are three purple squares for every orange square. The ratio of orange to purple is 1:3 The ratio of purple to orange is two to six. <ul style="list-style-type: none"> Complete the sentences to describe the set of objects.  <p>There are 3 _____ for every 5 _____.</p> <p>There are _____ for every _____.</p>	<ul style="list-style-type: none"> Danyal makes a necklace using green and orange beads. He makes a repeating pattern of 2 green beads and 3 orange beads.  <p>If he has 14 green beads and 25 orange beads, can he make a necklace without any beads being left over?</p> <p>Explain your answer.</p> <ul style="list-style-type: none"> Sarah makes a necklace using the repeating pattern shown below:  <p>Which of the following statements is true?</p> <ol style="list-style-type: none"> If Sarah uses 12 green beads, she will use more than 30 orange beads. If Sarah uses 12 green beads, she will use exactly 30 orange beads. If Sarah uses 12 green beads, she will use less than 30 orange beads. <p>Explain your reasoning.</p>	<ul style="list-style-type: none"> A coach holds 50 people. Most of the seats are taken. <p>Junior tickets cost £13 and Adult tickets cost £23</p> <p>The total amount paid for tickets is approximately £900</p> <p>How many people on the coach were adults and how many were juniors?</p> <p>Can you find more than one option?</p>  <ul style="list-style-type: none"> A shopkeeper spent exactly £10 on 100 eggs for her shop. <p>Large eggs cost 50p each. Medium eggs cost 10p each. Small eggs cost 5p each.</p> <p>For two of the sizes, the shopkeeper bought the same number of eggs.</p> <p>How many of each size did the shopkeeper buy?</p> 

	National Curriculum Statement	All students		
		Fluency	Reasoning	Problem Solving
Circles	<p>Illustrate and name parts of circles, including radius, diameter and circumference and know that the diameter is twice the radius.</p>	<ul style="list-style-type: none"> Label the diagram below using the labels provided.  <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="border: 1px solid black; background-color: #4a7ebb; color: white; padding: 5px; border-radius: 10px;">centre</div> <div style="border: 1px solid black; background-color: #663399; color: white; padding: 5px; border-radius: 10px;">diameter</div> </div> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="border: 1px solid black; background-color: #ff9933; color: white; padding: 5px; border-radius: 10px;">radius</div> <div style="border: 1px solid black; background-color: #3399cc; color: white; padding: 5px; border-radius: 10px;">circumference</div> </div> <ul style="list-style-type: none"> Use the radius of the circles to find the diameter: <ol style="list-style-type: none"> 5cm 3cm 9cm Use the diameter of the circles to find the radius: <ol style="list-style-type: none"> 10cm 12cm 20cm 	<ul style="list-style-type: none"> Complete the statement: The of a circle = 2 x the of a circle. <p>Draw a circle to prove the statement you have written.</p> <ul style="list-style-type: none"> Kainat says, <div style="border: 1px solid black; background-color: #4a7ebb; color: white; padding: 10px; border-radius: 15px; margin: 10px 0;"> <p>“The bigger the radius of a circle, the bigger the diameter.”</p> </div> <p>Do you agree? Explain your reasoning.</p>	<ul style="list-style-type: none"> Here are 2 circles. Circle A is orange, Circle B is blue. The diameter of Circle A is $\frac{3}{4}$ the diameter of Circle B.  <ol style="list-style-type: none"> If the diameter of Circle A is 6cm, what is the diameter of Circle B? If the diameter of Circle A is 6cm, what is the radius of Circle B? If the diameter of Circle B is 16cm, what is the diameter of Circle A? If the diameter of Circle B is 16cm, what is the radius of Circle A?

	National Curriculum Statement	All students										
		Fluency	Reasoning	Problem Solving								
Statistics	Interpret and construct pie charts and line graphs and use these to solve problems.	<ul style="list-style-type: none"> Construct a line graph to show the average rainfall over the year. The pie chart shows how different people got to school. What percentage travelled by car?  <ul style="list-style-type: none"> If 23 people are vegetarian, how many people took part in the survey? 	<ul style="list-style-type: none"> Susie wants to show the difference in temperatures inside and outside at the same times during the day. Is this possible to do on one graph? Prove it. Look at the following line graph.  <p>The data did not change from 2-3 hours. Why could this be?</p>	<ul style="list-style-type: none"> 96 people took part in this survey. <p>Our favourite pets</p>  <table border="1" data-bbox="1473 726 1957 858"> <tr> <td style="background-color: cyan;"></td> <td>Dogs</td> </tr> <tr> <td style="background-color: blue;"></td> <td>Horses</td> </tr> <tr> <td style="background-color: yellow;"></td> <td>Cats</td> </tr> <tr> <td style="background-color: magenta;"></td> <td>Hamsters</td> </tr> </table> <p>How many people voted for cats?</p> <p>$\frac{3}{8}$ of the people who voted for dogs were male. How many females voted for dogs?</p>		Dogs		Horses		Cats		Hamsters
	Dogs											
	Horses											
	Cats											
	Hamsters											

	National Curriculum Statement	All students																																			
		Fluency	Reasoning	Problem Solving																																	
Statistics	<p>Calculate the mean as an average.</p>	<ul style="list-style-type: none"> Calculate the mean of these sets of numbers: <ol style="list-style-type: none"> 3, 6, 8, 2, 4, 12 7, 13, 16, 9, 8 Hassan is his school's cricket team's top batsman. His scores over the year are: <p style="text-align: center;">134, 60, 17, 63, 38, 84, 11</p> <p>Calculate the mean number of runs Hassan scored.</p> <ul style="list-style-type: none"> Four children have taken two tests, one English and one Maths. <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>NAME</th> <th>MATHS</th> <th>ENGLISH</th> </tr> </thead> <tbody> <tr> <td>Ali</td> <td>67</td> <td>59</td> </tr> <tr> <td>Sid</td> <td>53</td> <td>61</td> </tr> <tr> <td>Pam</td> <td>66</td> <td>57</td> </tr> <tr> <td>John</td> <td>72</td> <td>75</td> </tr> </tbody> </table> <p>Calculate the mean:</p> <ol style="list-style-type: none"> Maths score English score score overall score for each child over both tests 	NAME	MATHS	ENGLISH	Ali	67	59	Sid	53	61	Pam	66	57	John	72	75	<ul style="list-style-type: none"> Six children have taken a mental maths test. The mean score was 15 out of 20 Can you find the missing score in the list of scores below? 18 16 17 13 12 ?? Sam uses a calculator to find the mean of 9, 7, 5, 9 and 13 He writes the answer 43 Is Sam correct? If not, can you work out where he has gone wrong? Jasmine says, <div style="border: 1px solid blue; border-radius: 15px; padding: 10px; background-color: #4a7ebb; color: white; text-align: center; margin: 10px 0;"> "The mean average is always a whole number." </div> Do you agree? Prove it. 	<ul style="list-style-type: none"> Can you make up a set of five numbers which have a mean of 3.6? Can you find more than one combination of five numbers? Here is a line graph. Can you write three different ways someone could find the mean from the graph? <div style="text-align: center;"> <table border="1" style="margin: 10px auto; text-align: center;"> <caption>Growth of Lisa's Collection</caption> <thead> <tr> <th>Month</th> <th>music CDs</th> <th>books</th> </tr> </thead> <tbody> <tr> <td>Jan</td> <td>15</td> <td>10</td> </tr> <tr> <td>Feb</td> <td>18</td> <td>12</td> </tr> <tr> <td>Mar</td> <td>20</td> <td>18</td> </tr> <tr> <td>Apr</td> <td>22</td> <td>20</td> </tr> <tr> <td>May</td> <td>25</td> <td>30</td> </tr> </tbody> </table> </div> <p>Using the questions you wrote about the mean, could you write a mark scheme for teachers marking the questions giving them all the correct answers?</p> <ul style="list-style-type: none"> A gym has two sets of weights; 3kg and 8kg. Two 3kg weights and three 8kg weights have a mean weight of 6kg. Can you find any other combinations of 3kg and 8kg weights that have a mean weight of 6kg? 	Month	music CDs	books	Jan	15	10	Feb	18	12	Mar	20	18	Apr	22	20	May	25	30
NAME	MATHS	ENGLISH																																			
Ali	67	59																																			
Sid	53	61																																			
Pam	66	57																																			
John	72	75																																			
Month	music CDs	books																																			
Jan	15	10																																			
Feb	18	12																																			
Mar	20	18																																			
Apr	22	20																																			
May	25	30																																			

